



Thermal Storage Heater



SPH




- Ultra Thin Design
- Thin
- Overheat Safety Protection
- Large R Angle Design
- Wi-Fi and APP
- Waterproof
- Wall Mounted

Ceramic core radiators-SPH

1. Wall mounted
2. Electronic control
3. Ceramic core heating element
4. Electronic adjustable thermostat control
5. 4 modes: Comfort/ Economic/ Anti-freeze/ Stand-by
6. Weekly programm mode with 7 free daily programs
7. Overheat safety protection
8. Touch LCD control
9. Child lock function
10. Window detector function
11. APP control

SCREEN OPTION



Warranty & Approvals

| | |
|-----------|-------------------------|
| Approvals | CE, GS, UKCA, EPR, ROHS |
| Warranty | 2 Years |



Dimensions

| Model | SPH-10 | SPH-15 | SPH-20 |
|-------------------|--------|--------|--------|
| Power (w) | 1000 | 1500 | 2000 |
| Long(mm) | 500 | 675 | 845 |
| Width(mm) | 88 | 88 | 88 |
| High(mm) | 486 | 486 | 486 |
| Weight(kg) | 7 | 10 | 13.5 |
| Packaging details | | | |
| Long(mm) | 560 | 735 | 905 |
| Width(mm) | 130 | 130 | 130 |
| High(mm) | 550 | 550 | 550 |
| High(mm) | 8 | 11 | 15 |
| loading (40HQ) | 1650 | 1255 | 1020 |

AntTec Group Co,Ltd

Technical Details

| | |
|-----------------|--|
| Controls | Touch LCD control and WIFI&APP control |
| Construction | Durable epoxy-polyester powder coated metal cas-ing with grille |
| Heating element | Ceramic core heating element Fast heating, long lifespan, flavourless |
| Installation | Wall bracket for easy fixing |
| Safety | Thermal cut-out. Overheat detection |
| IP Rating | IP24 |
| Supply | 1/N/PE ~220-240V,50/60Hz Class I, with earth wire |
| Power cord | Exposed 1.5m |
| Colour | White |

